TENDER DOCUMENT FOR

"Supply of Equipment/Instrument for Telemedicine Unit of MKCG Medical College Hospital "
OFFICE OF THE DEAN & PRINCIPAL,

MKCG MEDICAL COLLEGE, BERHAMPUR ODISHA

Tel: (0680)-2292746 Fax No.2292809

E-Mail:mkcgmc.bam@gmail.com,

Price: Rs.2000/-

(Those who download the tender document from Website www.mkcgmch.org & should enclose a DD for Rs.2000.00 towards cost of tender paper)

DATE OF PUBLICATION IN THE NEWS PAPER: 26-07-2018

LAST DATE FOR SUBMISSION OF TENDER:- 16-08-2018 BY 5.00 P.M




TENDER PAPER TERMS AND CONDITIONS.

- 1. The sealed tenders should be super scribed as Tender for "supply of "Equipment Instrument for Telemedicine Unit of MKCG Medical College, Berhampur" are to be submitted by Regd. Post/Speed Post/Courier service only so as to reach in the Office of the Dean & Principal, M.K.C.G. Medical College, Berhampur-4 on or before 21 days by 5.00 P.M from the date of publication of the Tender Call Notice in the news paper. The tenders received beyond the scheduled time and date will not be considered under any circumstances & will be returned in original sealed cover. The Tender should be of double bid system i) Technical Bid & ii) Price Bid in two sealed covers duly super scribed as Technical Bid & Price Bid and be submitted with one sealed cover. Those who download the tender document from website www.mkcgmch.org should enclose a DD of Rs.2000/- cash (non-refundable) in favour of the Dean & Principal MKCG MCB payable at SBI MCC Branch, Berhampur.
- 2. The sealed tenders submitted by the tenderers shall be opened by the Purchase Committee of office of the Dean & Principal, M.K.C.G. Medical College, Berhampur in his Office Chamber in the presence of either the tenderers or his /their authorized representatives who should remain present at the scheduled date and time with proper authorisation. If any tenderer or his / their authorized representative fails to turn up at the time of opening of the tenders that will not bar to the authorities from opening the tenders or carrying on subsequent tendering procedures.
- 3. The tender should be clearly typed / computerized without any correction, interpolation and over-writing etc. and each page of the tender should bear the dated signature of the tenderer. Correction/over writing or interpolation of any entry should be attested by the tenderers failing which the tender for the relevant item or items shall not be taken in to consideration.
- 4. The rates quoted against each item should be F.O.R/CIF M.K.C.G. Medical College, Berhampur, Dist- Ganjam, Odisha.
- 5. The rates should be inclusive of all taxes,
- 6. The tender should be valid for 1 year from the date of finalization of the tender procedure.
- 7. The prices quoted should be final and shall not be subject to any escalation during the validity period of the tender/till the purchase is over.
- 8. The tenderer should submit/furnish a certificate in the tender to the effect that price quoted by him/them is not more than the open Market Price.
- 9. The tenderer will arrange the documents like authenticated paper regarding Industrial License, N.M.I.C., C.D.E.C. and Letter of Authorization of the Principal Firm at his/their risk, responsibility and cost if any. The authorization certificate should be furnished with the quotation.
- 10. The tenderer should furnish Photostat copies of the up to date VAT, and Filling of Income tax return certificates of last three years along with money receipt in original relating to his/their firm along with the tender.

31.7.18

- 11. The tenderer should furnish the Earnest Money Deposit @ 2% of the Quoted Value, only in shape of Bank Draft in favour of the Dean & Principal, M.K.C.G. Medical College, Berhampur payable at M.C.C Branch Berhampur, along with the tender. The EMD will be forfeited in case, the successful tenderer fails to execute the order within the stipulated period mentioned in the Purchase Order in supply of the same.
- 12. Purchase order shall be issued in favour of the successful tenderers by Regd.Post with A.D after approval in the Purchase Committee. It is obligatory on the part of the selected firm to acknowledge receipt of the purchase order within seven days..
- 13. The successful tenderer shall replace any part or whole system as may be necessary, if found damaged on arrival at site or during installation of the system or if found not confirming to the specification at his/their cost.
- 14. The Dean & Principal MKCG Medical College Berhampur as the Authority reserves the rights to reject any tender or all tenders in part or full without assigning any reason thereof.
- 15. Documents misleading of facts are liable for rejection/cancellation of tender/purchase order and also action under Penal Provisions.
- 16. The tenders of the defaulting// Black listed suppliers will not be taken into consideration.
- 17. Supply of sub-standard items or non-performance of tender terms & conditions will disqualify a firm to participate in the tender process in future.
- 18. All legal disputes, if any relating to purchase, Installation and functioning of the system shall subject to jurisdiction of the Court situated in Berhampur, Ganjam, Odisha.
- 19. The payment to the firm shall be made after proper supply of the items on receipt of clearance certificate from the concerned Members of the Committee, that the installation of the items has been made properly and working satisfactory.
- 20. Those who will download the Tender document through the website, they are requested to deposit the value of the Tender document in shape of B.D favouring Dean & Principal MKCG Medical College, Berhampur while submitting the Tender document.
- 21. The Tenderer should submit their tender only after publication in the newspaper.
- 22. The photocopy of the first page of the Savings Bank Account should be furnished.
- 23. The photocopy of the PAN card should be furnished.
- 24. The Warranty of the Item should be 5 years from the date of installation.
- 25. The cost of AMC & CMC should be shown separately for 4 years after guarantee/warranty period.
- 26. The installation and demonstration should be done on free of cost.
- 27. The firm should have adequate Engineers for servicing of the Equipment as & when required. The Service Engineer will visit at least 2times per month & inspect the Items to ascertain defects if any.
- 30. All documents submitted shall be consecutively numbered having signature with official seal of the authorized signatory on each page and total number of pages shall be mentioned on the top sheet duly authenticated by the authorized signatory. The prescribed check list should be submitted completing in all respect. (putting the page numbers in the check list)



- 31. The tendering agencies are required to enclose photocopies of the following documents (duly attested by Group "A" Gazetted Officers of the State Governments/Central Government), along with the Technical Bid, failing which their bids shall be summarily/ out rightly rejected and will not be considered any further:
 - i) EMD @ **2%** of the quoted value of Tender in shape of BD in favour of the Dean & Principal MKCG MCB.
 - ii) Registration certificate of the organization.
 - iii) Copies of authorization letter of manufacturers/ Principal firms
 - iv) Original Catalogue of the product indicating the specification & photo of the Equipment.
 - v) Copy of GST Reg. Certificate
 - vi) An affidavit in original to the effect that the firm has not been blacklisted anywhere.
 - vii) Copy of PAN Card.
 - viii)Copy of the 1ST Page of the Savings Bank Account/Current Account Pass Book
 - ix) Other document as per the technical specification of the equipment.
 - x) Copy of Filling of Income tax return certificate of last three years.
- 32. The successful tenderer will have to deposit a Performance Security Deposit of 5% of the ordered value in the form of Bank Guarantee from only Nationalized Bank drawn in favour of the Dean & Principal, MKCG Medical college, Berhampur within two days from the date of receipt of provisional purchase order. Then only final Purchase order will be issued. The Bank Guarantee shall be returned to the firm after the Warranty/Guarantee period is over.
 - N.B.:- (1) The tenderers are requested to go through the terms and conditions thoroughly and carefully and furnish their tenders fulfilling all the requirements to avoid rejection of their tender(s).
 - (2) The documentation as required in the Technical specification should be submitted along with the technical bid failing which the bids shall be summarily/out rightly rejected.

Dean & Principal ' MKCG Medical College Berhampur

TENDER PROFORMA FOR TECHNICAL BID

SI, No	Name of the Equipment	Details specification As per tender Catalogue, Brochures, etc	on res, etc	Mfg Name Brand name	Author	Authorization		
7	2	3		4		5		
		TENDER PRO	TENDER PROFORMA FOR PRICE BID	ICE BID				
SI, No	Name of the item	Unit	Basic Price Excluding GST & other taxes	Rate inclusive of all taxes i.e F.O.R MKCG MCH. Bam.	GST Rate %	Cost of Total (5+6)	Cost of Total. A.M.C /CMC (7+8) for 4 years	Total. (7+8)
1	2	8	4	īv	9	7	8	6

The tender will be rejected in case the firm have not filled the technical & price bid in prescribed format given above.

B. C. L.

TENDER FOR SUPPLY OF "TELEI TENDER NOTICE NO	Dt.	
BID PERIOD: LAST DATE FOR SUBMISSION OF B DATE OF OPENING OF TECHNICA NAME OF THE BIDDER M/S.	TO BID: LL BID:	BY 5 P.M AT 5 P.M
Please put ✓ in th	•	
(TECHNICAL BID)	DOCUMEN	TS: SUBMITTED OR NOT
1. EMD @2% of the quoted value	Page	Yes No
 Registration Certificate of the Organization. 	Page	Yes No
3. Copies of authorization letter of manufacturers/ Principal firms	Page	Yes No
4. Original Catalouge of the product	Page	Yes No
5. Copy of GST Reg.	Page	Yes No
An affidavit in original to the effect that the firm has not been blacklisted anywhere.	Page ·	Yes No
7. Copy of PAN Card	Page	Yes No
8. Copy of the 1 ST Page of the Savings//Current	ED	Yes No
Bank account		
Copy of Filling of IT Return certificate of last three years		Yes No
10. Copy of VAT Clearance Certificate.	Page	Yes No
11.Other document as per the technical specification of the equipment.	фас	Yes No

Note:. All documents submitted shall be consecutively numbered. The above check list should be submitted completing in all respect. (putting the page numbers in the check list

SIGNATURE OF THE BIDDER

SCHEDULE OF REQUIREMENT FOR SUPPLY OF ELECTRICAL/ELECTRONICS AND OTHER ITEMS FOR TELEMEDICINE UNIT OF MKCG MEDICAL COLLEGE, BERHAMPUR

Name of the Item 1. Video conferencing		
1 Vidaa aanfaranaina	Specification	Qty
Camera	Codec Unit: The system should have a limit of supporting up to 16 Mbps Bandwidth over IP Network. The system should capable of connecting multiparty Sites simultaneously with options of 6 Site Multipoint or 9 Site Multipoint Software. The system should support H.239 Dual Presentation. The system should have an In-built USB slot for a USB removable media which will enable for composite audio / video recording and can be played back onto any PC. The System should be able to connect to a Pen Tablet for a Live Video & Data annotation. The system should be able to connect to a Pen Tablet for a Live Video & Data annotation. The system should support Triple Monitor Output. The system should support Full HD 1080p @ 60fps. The System should support Full HD 1080p @ 60fps. The system must have a Backward Compatibility to SD Systems. Camera Unit: The image device should be 1/2.8-type EXMOR CMOS image sensor. The camera should have a 12x Optical Zoom and 12x Digital Zoom. The camera should have a minimum Pan (+100 to -100 degrees) and Tilt (+25 to - 25 degrees). The camera should have View-DR feature (the capacity of determining clear face if excess light falls upon the camera lens by balancing between the darkest area and brightest area). Microphone Unit: Two External Omni-directional Microphones should be supplied with the main conferencing unit. Remote Commander Unit: The Remote Commander should support RF. MULTIPOINT CAPABILITIES 6 (1 + 5) sites or 9 (1 + 8) sites with Optional Software. Should have up gradation facility up to 10 to 16 sites by cascading. VIDEO Standards H.261, H.263, H.263+, H.263+, H.263+, H.264, H.264 High profile, MPEG-4 SP@L3, H.239 Dual Stream Support Resolution 16:9 wCIF/w288p (512 x 288), w432p (768 x 432), w4CIF, (1024 x 576), 720p (1280 x 720), 1080p (1920 x 1080) Frame rate H.261 QCIF 30 fps, CIF 30 fps, 4CIF 30 fps, wCIF 30 fps, 4CIF 30 fps, 4CIF 30 fps, T20p 60 fps, 1080p 60 fps Bit rate	Qty 1 No
V	 w432p 30 fps, w4CIF 30 fps, 720p 60 fps, 1080p 60 fps 64 kbps to 16 mbps range should be available 	

3 21.7.18

AUDIO

Bandwidth and Coding

MPEG-4 AAC Stereo: 22 kHz at 192 kbps (IP only) MPEG-4 AAC Mono: 14 kHz at 48 kbps, 64 kbps, 96 kbps MPEG-4 AAC Mono: 22 kHz at 64 kbps, 96 kbps (IP only)

G.711: 3.4 kHz at 56 kbps, 64 kbps

G.722: 7.0 kHz at 48 kbps, 56 kbps, 64 kbps

G.728: 3.4 kHz at 16 kbps Echo cancellation

Stereo Echo-cancelling

Noise reduction Automatic Gain Control

LIP

SYNCHRONIZATION Auto/Off

MICROPHONE

Omni directional External Microphone x 2

ITU-T STANDARDS

(excluding audio/video standards)

H.320, H.323, IETF SIP

H.231, H.241 H.242, H.243, H.245, H.350, H.460.18, H.460.19

MULTIPOINT NETWORK CONNECTIVITY

IP: RJ45 x 2 (LAN & WAN separate)

NETWORK PROTOCOLS

TCP/IP, UDP/IP, DHCP, DNS, HTTP, TELNET, SSH, SNMP, NTP, ARP, RTP/RTCP

REMOTE COMMANDER

Wireless RF.

CAMERA UNIT

Image device: /2.8-type "Exmor" CMOS image sensor **Effective Picture Elements** Approx. 2.1 Megapixels

Focal length :f=3.9 mm (Wide) to 46.8 mm (Tele) (F1.8 to F2.0)

Zoom ratio: 12x Optical zoom (12x digital zoom)

Pan angle: Minimum +100° to -100° Tilt angle: Minimum +25° to -25°

Preset: Up to 16 positions

S/N: 50 dB or more

Others: View-DR feature up to 130dB at 29.97 frames per second (

fps)

Dynamic Noise Reduction feature

INTERFACES

Video: External video inputs (HDMI x 1, DVI-I x 2), HDMI x 2, DVI-I

ΧI

Audio: External analog microphone input Mini-jack (Plug in power) $x \in (L/R)$

HDMI (video, audio) x 1, Audio Input (MIC/AUX) x 2 (Phono jack, stereo)

HDMI (video, audio) x 1, Line Output (Phono jack, stereo) x 1, REC

Output (Phono jack, stereo) x 1

Network: 10BASE-T/100BASE-TX/1000BASE-T x 2, Interface x 1

ISDN Unit

Control: RS-232C

Pen Tablet Interface: Tablet Interface x 1 AV & Data Annotation Recording Interface:

USB Slot x 1
GENERAL:

Operating temperature 5 °C to 35 °C

Operating humidity 20% to 80% (non-condensing)

Storage temperature -20 °C to +60 °C

Storage humidity 20% to 80% (non-condensing)

Power requirement: DC 19.5 V (AC Adapter: AC 100 to 240 V,

50/60 Hz)

Power Consumption: 58.5W

SYSTEM COMPONENTS & ACCESSORIES TO BE SUPPLIED:

AC adapter, HDMI cable (3m), RF Remote Commander Unit,

Camera cable (3m), CD-ROM (Operating instructions)

7 21.7

Name of the Item	Specification	Qty
2. 55" High Definition splay TV		1 No
	System panel system LCD (Liquid Crystal Display), panel, LED Backlight TV system.	
	Analogue: B/G, I, D/K, M or M/N	
	Digital: DVB-T/DVB-T2 or SBTVD Colour/video system	
	Analogue: PAL, SECAM, NTSC3,58,NTSC4,43, Sound output	
	10W+10W, Wireless Technology Protocol IEEE802, 11a/b/g/n	
	Bluetooth Version 4.1. Input/Output jacks Antenna, Video/Audio	
	input (mini jack)/ COMPONENT in YPBPR (component Video): 1080p	
	(50,60 Hz), 1080i (50+60Hz), 720p (50,60Hz), 576p, 576i,480p,	l
	480i. Audio. Audio input (Phono pin jk) VIDEO IN2. Video input	
	(common phono pin with Y input) HDMI IN1,2,3,4 Video (2D), 180p	
	(30,50,60Hz), 1080/24p, 1080i (50,60 Hz), 720p(30,50,60Hz),	
	720/24p,576p,576i,480p,480i, Pc Format Video (3D) Frame packing	
	1080 (30Hz), 1080/24p, 1080i, (50,60Hz), 720p (30,50,60Hz),	
	720/24p, side-by-side, 1080p (50,60Hz), 1080/24p, 1080i	
	(50,60Hz), 720P (50,60Hz):	
	Audio: 5.1 channel liner PCM: 32,44.1,48,88.2,96,176.4 and	
	192kHz, 16,20 and 24 bits, Dolby Digital and DTS ARC (Audio	
	Return Channel) (HDMI IN 4 only)	
	Audio Out: / (Sterio Mini jack) Headphone, Audio output, subwoofer	
	1,2 USB port DC in 19.5 V AC adapter input. LAN 10BASE-T/100BASE-TX Connector.	
	Power Requirements: 19.5 V DC with AC adapter Rating. Input 100	
	V-240V AC, 50/60Hz, Screen Size (measured diagonally) (Aprox):	
	55 inches / 138.8 cm display resolution 1,920 dots (horizontal)	
	x10,80 lines (vertical)	
	Power consumption: 104 W	
3. Motorized Screen	Size; 6x8 Feet, Mat White HG Screen with Dual remote	1 No
4. Projector	3LCD Ultra-Short Throw Interactive Projector, 3500 Lumens White	1 No.
-	and Colour Brightness, WXGA Resolution. Six-Point Finger-Touch	· - ·
	Interactivity up to 100" wide screen display with mount kit.	

Dean & Principal MKCG Medical College Berhampur

IPOS DOMA DOMANTE FORMAT FOR PERFORMANCE SECURITY
[Ref. Para 22(i)]
The
MUEDEAC
WHEREAS (name and address of the supplie
(hereinafter called "the supplier") has undertaken, in pursuance of contract no dated
to supply (description of goods and services) (herein after called "the contract").
AND WHEREAS it has been stipulated by you in the said contract that the supplier shall furnish you with a hank guarantee by a schoduled commercial bank assessment to the supplier shall furnish you
with a bank guarantee by a scheduled commercial bank recognized by you for the sum specified there
as security for compliance with its obligations in accordance with the contract;
AND WHEREAS we have agreed to give the supplier such a bank guarantee;
NOW THEREFORE we hereby affirm that we are guarantors and responsible to you, on behalf of the
supplier, up to a total of (amount of the guarantee in words an
figures), and we undertake to pay you, upon your first written demand declaring the supplier to be i
default under the contract and without cavil or argument, any sum or sums within the limits of (amount of
guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand of
the sum specified therein.
We hereby waive the necessity of your demanding the said debt from the supplier befor
presenting us with the demand.
We further agree that no change or addition to or other modification of the terms of the contract t
be performed there under or of any of the contract documents which may be made between you and the
supplier shall in any way release us from any liability under this guarantee and we hereby waive notice of
any such change, addition or modification.
This guarantee shall be valid until the day of, 20
Our* (Name & Address of thebranch at* (Name & Address of the* branch) is liable to pay the guaranteed amount depending on the filing of claim and any part thereof under this Bank Guarantee only and only if you serve upon us at our* branch a written claim or demand and received by us at our
branch on or before Dtotherwise bank shall be discharged of all liabilities under thi guarantee thereafter.
(Signature of the authorized officer of the Bank

* Preferably at the headquarters of the authority competent to sanction the expenditure for purchase of goods or at the concerned district headquarters or the State headquarters.

Name and designation of the officer

Seal, name & address of the Bank and address of the Branch

Model Agreement for Supply of Goods [Ref. Para 23(1)]

				Liveiri	uiu 23(1)]				
	THIS	AGREEMENT	made	this		day	of	••••	
20	• • • • • • • • • • • • • • • • • • • •	BETWEEN M/	s	•••••	8	Co Ltd I	having r	egistered of	fice at
in th	e State	of		(hereinafter	called the '	Supplier'	which	expression	shall,
unles	s exclud	ed in the subje	ect or co	ontext, includ	e the heirs,	successo	ors, lega	l representa	atives,
and p	ermitted	d assigns) of the	e one Pa	ert.					

AND

the of Odisha (hereinafter called the 'the' which expression shall, unless excluded in the subject or context, include the heirs, successors, legal representatives, and permitted assigns) of the other Part. WHEREAS the wants to purchase the goods mentioned in the schedule.

NOW THESE PRESENT WITNESS AND IT IS HEREBY AGREED AS FOLLOWS:

- 1. That the time shall be the essence of the contract and the supplier shall supply the goods in the schedule completely so as to make delivery.................. (place) on or before the date failure to do which will entitle the to rescind the contract immediately.
- 2. That the goods shall be of the specifications and price mentioned against each. Any variation on inspection will entitle the to refuse the consignments either in whole or in part, as the case may be, the whole, if the part renders it useless.

J. 7.18

in case of machineries exactly in the same manner and installation which would include test working for 7 (seven) days.

- 5. The Goods shall be duly packed and insured by the Supplier for transit and be despatched at the risk of the carriers and the shall not be responsible for any loss or damage during the transit or at any time prior to inspection and approval.
- 7. That any damage or deficiency if not removed during the stipulated period by the Supplier may be removed by the at his cost to be reimbursed by the Supplier. Any amount payable to the hereunder shall be recovered as public demand under the Orissa Public Demand Recovery Act, 1963 and shall bear 6% interest per annum till certificate for recovery is filed.
- 8. That the supplier shall deposit Rs...... towards earnest money at the time of acceptance of tender for due performance of the covenants hereof and such money shall be forfeited to the in case of breach of all or any of the covenants.

ре то	orreited to the in case of breach of all or any of the covenants.
	9. That any dispute arising hereunder shall be resolved in the following manner:
	10. That Sri is duly authorised in the order
No	by the and
Sri	on behalf of the company to execute the deed.
	11. The cause of action hereunder shall always be deemed to arise at
	12. That the stamp duty shall be borne by
	SCHEDULE OF GOODS Name of the Goods Specification with number and make etc Price
agree	ed
	IN WITNESS WHEREOF the parties hereto have signed this deed this day
of	mentioned against the signature of each in the presence of

Witness

3/21.7.18